

Canon 650d specifications pdf

Camera Type:DSLRColour:BlackFlash Mode:Auto, Off, On, Red-eyeConnectivity:HDMI, USBWeight:575gFocal Length:28-336 mmShutter Speed:1/4000 secStorage Media:SD, SDHC, SDXCMovies Format:MPEG-4 AVC/H.264 (stereo)Self - Timer:2 or 10 secsPower Source:Battery Pack Lithium-Ion LP-E8 rechargeable battery and chargerDimension:133x100x79Warranty:2Autofocus:Continuous, Contrast Detect, Face Detection, Multi-area, Selective single-pointBattery Type:Lithium ion BatteryEffective MegaPixels:18Exposure Metering:Center-weighted, Multi, Partial, SpotLens:EF LensesScreen Inches:3Sensor Type:CMOSVideo Resolution:1920x1080Viewfinder:NoneAspect Ratio:4:3 Rate this Product Camera Type: Point & Shoot Colour: Blue Flash Mode: On Fla Flash & Gonnectivity: HDMI Connectivity: USB Weight: 45 White Balance: AutoFull Specs Camera Type: Sports & Action Colour: White Connectivity: USB Weight: 45 White Balance: AutoFull Specs Photography is a great hobby; you get to take a lot of great photography is a great hobby; you get to take a lot of great photographs which you can then share with other people. Beginners in the hobby may take a shine to the great professional DSLR cameras, but their operation may seem a little daunting and overkill for most. Which is why the Canon EOS 650D entry-level DSLR camera is a great buy for those looking to learn and understands that a lot of people starting out with an entry-level DSLR camera come from compact camera users and smartphone users; as well as people who are in need of instant access to recording capabilities, and the use of a digital view finder. To make it easier for beginners to adapt, the Canon EOS 650D comes with an excellent 18-megapixel resolution image sensor that captures out of the box. excellent images. The 14-bit DIGIC 5 image processing accurately replicates colours and images of your subjects and landscapes. It doesn't matter if you know how to capture a great shot, but the colours and clarity will definitely awe you. If you like to print a lot of big pictures, the large 18-megapixel image sensor helps a lot. You can take really large pictures with the Canon EOS 650D that are packed full of details. Alternatively, you can crop the images to get the proper composition that you want. Besides the incredible image sensor, the Canon EOS 650D comes with many features that make capturing photographs a breeze. To quickly facilitate the camera settings, the EOS 650D's Vari-angle Clear View LCD II screen doubles as a touchscreen control panel for you to adjust settings, access the menu, and even tap to focus - just like you would on a smartphone! The camera also has a Scene Intelligent Auto mode that automatically analyses each scene you just want to quickly get a shot. Please enable location services in your browser settings to view the best offers from nearby stores. Learn More Image not available for Color: To view this video download Flash Player STM Lens Support for Quiet AF in Movies18.0MP APS-C CMOS SensorDIGIC 5 Image Processor3.0" Vari-Angle Touch Screen LCDThe Canon EOS Rebel T4i Digital Camera with EF-S 18-55mm f/3.5-5.6 IS II Lens is an ideal camera for any level photographer; combining both high quality imaging power and a WS-C-sized CMOS sensor and a DIGIC 5 image processor for fast operation and tremendous low light performance to an expanded ISO of 25600. A quickened 5.0 fps continuous shooting ability and fast 9-point cross-type AF system are also supported by the performance of the DIGIC 5 processor. This combination of technologies also results in tremendous image quality with smooth color gradations and clarity for both images and videos. No Longer AvailableProtect your GearAdd a protection plan from \$87.99Trade in your gear for cash: Learn more1Description218.0 Megapixel APS-C CMOS Sensor3Still Image Resolution4DIGIC 5 Image Processor5ISO Speed Range614-Bit A/D Conversion7STM Lens Support8Enhanced EOS Full HD Movie Mode9Recording Time10Video Snapshot113.0" Vari-Angle Touch Screen Clear View LCD Monitor II12Viewfinder139-Point Cross-Type Autofocus System14Hybrid CMOS AF15Exposure Metering16Exposure Compensation17Built-In Flash18Shutter19High Speed 5.0 fps Continuous Shooting20White Balance21Multi Shot Noise Reduction22Built-In Stereo Microphone and Manual Audio Level Adjustment23Live View Functions24Playback25Scene Intelligent Auto Mode26Picture Style27Advanced Imaging Features28Additional Shooting Modes29Lens Aberration Correction30Feature Guide31GPS Compatibility36Canon EF and EF-S Lens Compatibility37EF-S 18-55mm f/3.5-5.6 IS II Kit Lens38Color Filter System39Color Space40Low Pass Filter41File Numbering42Customization43Image Protection and Erase44Direct Printing45DPOF: Digital Print Order Format46Dust Deletion Feature47Interface LanguagesThe Canon EOS Rebel T4i Digital Camera with EF-S 18-55mm f/3.5-5.6 IS II Lens is an ideal camera for any level photographer; combining both high quality imaging power and a wealth of functions that enable you to create beautiful imagery with ease. This 18.0 megapixel DSLR features an APS-C-sized CMOS sensor and a DIGIC 5 image processor for fast operation and tremendous low light performance to an expanded ISO of 25600. A quickened 5.0 fps continuous shooting ability and fast 9-point cross-type AF system are also supported by the performance of the DIGIC 5 processor. This combination of technologies also results in tremendous image quality with smooth color gradations and clarity for both images and videos. Full HD 1080p video is supported and features a full-time Movie Servo AF system for continuous auto focusing while using live view to record movies. When using one of Canon's STM lenses, ultra-quiet and smooth performance is possible for fluid HD movie making. Additionally full manual sound and exposure control is supported, giving you a wide range of controls for handling your videos. For monitoring of videos and still imaging, a 3.0" Vari-angle touch screen LCD is incorporated and flips out and tilts for viewing from a wide variety of angles. The touch screen operation is highly intuitive and even allows you to control your focus points from the LCD. The Scene Intelligent Auto Mode combines the essential auto modes with an intelligent Auto Mode combines the essential auto modes with an intelligent Auto Mode combines the essential auto modes apply the necessary adjustments to render the scene correctly. Once the image has been captured, it will also apply enhancing techniques in order to improve skin tones and overall image coloration. Other creative modes include an HDR Backlight Control mode for improving the effective exposure value range of your image; a Handheld Night Scene mode which utilizes multi shot noise reduction techniques to give you improved low-light performance without the noise of high ISOs; and seven different creative filters to apply unique effects directly to your images in-camera. The Rebel T4i is compatible with SD/SDHC/SDXC memory cards and Canon's full line of EF and EF-S lenses. The 18.0MP APS-C sensor provides high image quality and rich files exhibiting smooth color gradations, exceptional clarity and tonal range. It maximizes the light-gathering efficiency of each pixel and features center pixels that assist the Rebel T4i in delivering accurate AF performance. The maximum resolution affords plenty of room to make well-sized enlargements or crop into your images to focus on the details. The APS-C size sensor creates an effective 1.6x field of view when compared to full-frame 35mm format.Note:Total pixels: Approx 18.50 MPPixel unit: 4.3 µm squareMax: 17.9 MP: 5184 x 3456Medium: Approx. 8.00 Megapixels (3,456 x 2,304)Small 1: Approx. 4.50 Megapixels (2,592 x 1,728)Small 2: Approx. 17.90 Megapixels (5,184 x 3,456)The DIGIC 5 image processor also helps to provide excellent image quality and high speed across the entire camera, enabling 5.0 fps continuous capture. This expedited processing helps to increase low-light sensitivity from ISO 100 to 12800 (and to an expanded ISO of 25600) while effectively reducing noise levels. This makes shooting possible in situations where it was previously unthinkable to shoot without flash. Paired with one of Canon's EF or EF-S lenses featuring Optical Image Stabilizer, the Rebel T4i is capable of recording gorgeous images even when light is scarce. The processor works with the CMOS sensor to create images with remarkable detail in a greater number of situations, without requiring artificial light sources. It enables the camera to perform sophisticated functions such as HDR Backlight Control, art filters, lens correction and much more.Note:Recording Format: Complies with Design rule for Camera File system 2.0 and Exif 2.30RAW + JPEG simultaneous recordingFor Stills:1. Manual setting range of ISO 100-12800, expansion to ISO 256002. Auto, ISO 100-6400 (in whole-stop increments)In Creative Zone modes, the maximum ISO speed (ISO 400, 800, 1600, 3200, or 6400) for ISO Auto can be setWith C.Fn-6-1 (Highlight tone priority), ISO 200 or higher will be setThe processor also supports 14-bit analog-to-digital conversion for richer, more vivid imagery. The T4i captures and records images with exceptional gradations and detail in subtle tones and colors, producing more lifelike and detailed pictures. By recording as many as 16,384 colors per channel, the T4i ensures that the fine detail found in subjects such as foliage, sky and water is maintained and recorded with an amazing level of accuracy, to ensure beautiful results. When using one of Canon's STM lenses, Movie Servo AF will take full advantage of the stepping motor technology for smooth, quiet continuous auto focusing. This benefit is especially noticeable when recording HD video and proves to create a more fluid movie-making experience. The T4i features full HD movie recording capabilities in the 1080/30p, 24p, 25p (16:9); 720/60p, 50p (16:9); 720/6 during filming and when using live view. Manual exposure control and audio level
adjustment are also supported, as is in-camera editing. Using 8GB card: 1 hr 32 min @ 1920 x 1080, 1280 x 720: 330 MB/min.; 640 x 480: 82.5 MB/min.Video Snapshot is a unique mode that captures short video clips of 2, 4 or 8 seconds and automatically combines them into one file, giving you a highlights album that requires no post-production or further editing. Thus, the compiled video is ready for sharing online or displaying right on your HDTV via the camera's HDMI port. Plus, stills are recordable during video shooting simply by pressing the shutter button. In playback, video clips in an album are now capable of being reordered or deleted. This 3.0" LCD monitor with multi-touch operation and touch AF has a high resolution of 1,040,000-dots for high-definition monitoring and playback of your imagery. It features an aspect ratio of 3:2. The LCD boasts a viewing angle of 170° (vertical / horizontal), and the vari-angle capabilities allow the screen to flip out to the side then tilt up and down for use at a variety of angles, including front-facing for use with self-portraits. The touch screen functionality gives an intuitive experience when using this camera and even allows you to modify your focus positioning based on touch alone. Two finger touch gestures (multi-touch) are usable for zooming or changing images, menu and quick control settings are accessible, and focus point and shutter release can be activated with the mere touch of your fingertip. Because of new, durable construction between the monitor's resin-coated cover and the LCD, reflections are reduced and the display is viewable, without glare, from any number of angles. The Clear View coating gives a great deal of clarity, even in bright sunlight, and is also smudge-resistant. The LCD features both auto and manual brightness control.Eye-level SLR with fixed pentamirror, fixed focusing screen. Provides: AF information: AF points and focus confirmation: Flash information: Flash ready, flash exposure compensation, high-speed sync, FE lock, red-eye reduction lightImage informationDepth Of Field Preview: Enabled with depth-of-field preview buttonNote:Eye Point: 19 mm at -1m-1 from lens centerFixed focus screenQuick-return half mirror, reflection 40:60AF type: TTL-CT-SIR AF-dedicated CMOS sensor. Working Range: EV -0.5 - 18 (ISO 100). When shooting through the viewfinder, the 9-point cross type autofocus system provides quick and accuracy and is utilized in spot metering as well as average metering modes. The AI Servo AF system achieves and preserves consistent focus with an amazing degree of reliability. Selected AF Point Display indicated via superimposed display in viewfinder and on LCD. Focusing Modes: One-Shot AF, Predictive AI Servo AF, AI Focus AF (switches between One-Shot AF and AI Servo AF). Manual focus also available. AF Point Selection: Manual, Auto; automatically set in Basic Zone modes Note: All cross-type at f/2.8Assist Beam: Intermittent firing of built-in flash. Range: Approx. 13.1' (4.0 m) at center; 11.5' (3.5 m) at peripheryThe Hybrid CMOS AF system allows for high speed focusing during shooting when using live view. Combining two distinct AF technologies--phase and contrast detection AF--the system enables faster and more precise autofocus. The pixels in the T4i's sensor aid these focusing technologies in predicting the location of your subject, thus making continuous focus tracking fast and accurate in video recording, and enhancing overall focusing speed. Spot, Center-weighted average, Evaluative, Partial (9% of viewfinder)EV 1.0 - EV 20.0 (at 73°F (23°C) with EF50mm f/1.4 USM lens, ISO 100)-5 to +5 EV in 1/3 steps or 1/2 EV steps-/+5 for manual; -/+2 for AEB; +/-3 in 1/3-stop increments for videoGuide Number: Approx. 43' (13 m) at ISO 100Up to 17 mm focal length±2 stops in 1/3- or 1/2-stopFE lockExposure compensation: Up to ±2 stops in 1/3 or 1/2-stop incrementsFor optional External Speedlite (not included), Flash Metering, Flash Exposure Compensation, and FE Lock info is same as for built-in flash1/4000 to 30 sec., bulb, X-sync at 1/200 sec.; settable in 1/3- or 1/2-stop incrementsLag: 0.075 sec between SW-2 ON and exposure start; 0.15 sec between simultaneous SW-1/SW-2 ON and exposure start; with the aperture stopped down by 3 stops or less. Excludes AF operation timeShutter release: Soft-touch electromagneticThe Rebel T4i is capable of capturing up to 5.0 images per second when shooting in continuous modes. This speed ensures you won't miss the shot when working in fast-paced environments such as sporting events, or situations where every moment counts, like getting the bride walking down the aisle. Thanks to enhancements in the shutter mechanism, the mirror drive and the sensor, the T4i is ready to catch all the action.Note:8GB card: Up to 22 shots (JPEG); 6 shots (RAW); 3 shots (JPEG); 6 shots (RAW); 3 shots (PAW); 3 shots (PAW); 3 shots (RAW); 3 shots (PAW); 3 s (RAW+JPEG)Settings: Auto, Daylight, Shade, Cloudy (Twilight and Sunset), Tungsten Light, Flash, Custom (Custom: Approx. 2,000 - 10,000 K). Auto white balance with image sensor. Color Temperature Compensation / Correction: Blue/amber bias: ±9 levels, Magenta/green bias: ±9 levels Temperature Information Transmission: ProvidedMulti shot noise reduction improves low-light shooting by essentially overlaying multiple, separate exposures on top of one another to build the image density and preserve detail. This mode effectively simulates high ISO performance without the increase of noise that goes along with it. It takes 4 consecutive shots, merges and aligns them, reducing more noise than the Rebel's traditional Noise Reduction filter, with little to no apparent loss of resolution. Subjects in motion are even optimized to reduce blur. An integrated stereo microphone and manual audio level adjustment help ensure that your audio will match the brilliant quality of your video. The wind filter feature minimizes wind noise when shooting outside. Sound recording levels can be manually (up to 64 different levels) or automatically controlled, and an integrated attenuator is also provided to reduce audio clipping. For more sophisticated audio recording, the Rebel T4i works with many third-party electret condenser microphones that have a 3.5mm diameter plug. Still photo shooting and video shootingAutofocus: Face Detection + Tracking AF, FlexiZone - Multi (31 zones, AF at the touched Zone), FlexiZone - Single, Quick Mode AFManual focusing: Magnify the image by 5x or 10x and focus manuallyMetering, spot metering, spot lens, ISO 100)Grid Display, Exposure Simulation providedDisplay Format: Single image display - 4-image index and 9-image index and 9-image index Jump display (Image jump w/ Main Dial) - 1/10/100 images, shooting date, by folder, movies, stills, ratingHighlight Alert: On the detailed information and histogram displays, highlight areas with no image data will blinkThis intelligent mode combines numerous technologies (Picture Style Auto, Automatic Exposure) into one simple mode, allowing you to make optimal images with ease. The EOS Scene Detection system can automatically determine theorem of the ease of the ease. The EOS Scene Detection system can automatically determine the ease of the shooting conditions you are in, taking into account faces, colors, brightness, moving objects, contrast, and even whether the camera is handheld or on a tripod, and apply these technologies to create the ideal exposure. The camera is handheld or on a tripod, and apply these technologies to create the ideal exposure. Standard, Portrait, Landscape, Neutral, Faithful, Monochrome, User Defined 1-3Several image features allow you to shoot in low lighting and capture nightscapes with bright highlights and detailed dark areas--without the necessity of a tripod. By shooting and combining four consecutive shots at a shutter speed quick enough to prevent camera shake, Handheld Night Scene mode makes dramatic nighttime photography easy. HDR Backlight Control mode emulates high dynamic range techniques and extends the visual parameters of the image to include more shadow and highlight details in the image. It captures 3 consecutive shots at different exposures (underexposed, correctly exposed and overexposed) and then combines them, for a final result that preserves detail in both shadow and highlight areas for proper exposure. Seven different Creative Filters allow you to apply artistic effects directly to your images in-camera, including Grainy Black and White, Soft Focus, Fish-eye Effect, Toy Camera Effect, Miniature Effect, and now, Art Bold Effect, which makes photos look like an oil painting. Scene Intelligent Auto, Flash Off, Creative Auto, Portrait, Landscape, Close-up, Sports, Night PortraitAn automatic corrective system can be employed in order to help reduce the effects of different lens aberrations. If there is light falloff detected towards the edges of the frame, the camera will automatically correct for this by evening out the exposure via the lens peripheral illumination correction feature. Additionally, a number of popular Canon lens' data is pre-programmed into the camera so it can quickly and automatically register settings according to the lens you are using. The T4i's chromatic aberration correction tool enables the correction of distracting color fringing at the time of shooting. A specific, helpful guide is integrated into the camera in order to help you learn about and determine which image settings to use in a given situation and how they affect your imagery. It is shown in each shooting mode, during mode dial operations, and for Quick Control screen functions, and appears automatically, but can be disabled through the menu. The Rebel T4i is compatible with the optional GP-E2 GPS receiver (not included). When connected to the hot shoe or through the accessory terminal, the receiver is capable of recording locational data, including latitude, to the metadata of your files
for plotting to maps and reviewing your journey at home. You can even track the trajectory of movement with the receiver's logging function. An electric compass records the camera's orientation during every shot, and world time information is recorded via GPS syncing. You can conveniently resize your JPEG images to smaller formats in-camera for printing out into a photobook. Your editing will be saved to your memory card for expedited online use. You can intuitively sequence and specify your images in-camera for printing out into a photobook. Your editing will be copied to a separate folder, ready for printing once at a computer. For more expedited navigation through your images, you can rate your images have been rated and sorted, browsing, printing and slide shows are a much more fluid experience. The Rebel T4i is compatible with SD, SDHC, and SDXC memory cards, including Ultra High Speed (UHS-I) cards. It also works with Eye-Fi SD cards, though is not guaranteed to support Eye-Fi functions, including wireless, high-speed image transfer. Eye-Fi card installed, the T4i is capable of displaying the Eye-Fi son and an internal antenna for wireless transfer. Eye-Fi functions, including wireless transfer. Eye-Fi functions, including wireless transfer. connection status and error notes easily, enabling fully functional wireless uploading of images right from the camera is compatible with the full line of Canon's EF and EF-S lenses, ranging from ultra-wide angle to super telephoto lenses and encompassing the STM series that is optimized for video recording. Canon lenses utilize sophisticated optical expertise and micron-precision engineering to produce outstanding performance and gorgeous results. Special technologies like Canon's Image Stabilizer technology aid in reducing the effects of camera shake, effectively adding up to four stops of light and cutting back on blur for clearer images. your disposal, you can really maximize the quality and performance of your T4iThis 18-55mm lens is equivalent to a 29-88mm in 35mm format and provides you with a wide range of focal lengths for different applications. This lens features optical image stabilization for sharp handheld photography at shutter speeds up to 4 times slower than usually possible. Additionally, it features an aspherical lens element to reduce aberrations and a circular diaphragm for aesthetic rendering of out of focus scenes. Image size: 15.1 x 22.7 mm. Field of view: Approx. 5.3 x 8.1 - 1.8 x 2.6" (134 x 207 - 45 x 67 mm). Min. aperture: f/22-38 for models with 1/2-stop increments; f/22-36 for models with 1/3-stop increments. Angle of view: Diagonal: 74.2 degrees; Vertical: 45.3-15.4 degrees; Horizontal: 64.3-23.2 degrees. Focus Adjustment: AF (DC motor), with manual focus optionRGB primary color filtersFixed position in front of the CMOS sensorFollowing 3 types of file numbering, where numbering of captured images continues even after replacing camera's card; Auto reset, where numbering will be reset to start from 0001 after replacing card (if card already contains images, numbering continues from last recorded image); and Manual reset, which resets file number to 0001 and automatically creates a new folderCustom Functions: 8 Custom Functions with 24 settings availableMy Menu Registration: Up to six top-tier menu options and Custom Function settings can be registeredErase protection can be applied/canceled for a single images on a card, or erase all images on a card, or erase just unprotected images on a card, or erase all images on a card, or erase single image, erase all images on a card, or erase all images on a card. File System; RAW images printableDPOF print ordering provided (Complies to DPOF Version 1.1). If both Standard and Index are set, only Standard will take effect for printingSelf Cleaning sensor Unit: Removes dust adhering to the low-pass filter. (taking approx. 5 sec.)Dust Delete Data acquisition and appending: The coordinates of the dust adhering to the low-pass filter are detected by a test shot and appended to subsequent images. Dust coordinate data appended to image is used by provided software to automatically erase dust spotsManual cleaning25: English, German, French, Dutch, Danish, Portuguese Finnish, Italian, Norwegian, Swedish, Spanish, Greek, Russian, Polish, Czech, Hungarian, Romanian, Ukraine, Turkish, Arabic, Thai, Simplified/Traditional Chinese, Korean, JapaneseCanon Rebel T4i SpecsImaging Sensor ResolutionActual: 18.5 MegapixelEffective: 18 MegapixelEffective: 18 MegapixelAspect Ratio3:2Bit Depth14-BitExposure ControlMetering MethodAverage, Center-Weighted Average, SpotWhite BalanceAuto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, TungstenMirror Lock-UpNoFocusFocus ModeSingle-Servo AF (S), Continuous-Servo AF (C), Manual Focus (M)Autofocus Points9Viewfinder Coverage95%Viewfinder MagnificationApprox. 0.85xDiopter Adjustment-3 to +1FlashFlash ModesAuto, , OffExternal Flash ConnectionHot ShoeBattery1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAhKit LensAngle of View74.2° to 27.5°Maximum MagnificationVesDimensions (ø x L)2.7 x 2.8" / 6.86 x 7.11 cmPackaging InfoPackage Weight3.9 lbBox Dimensions (LxWxH)8.7 x 6.5 x 5.8"See any errors on this page? Let us knowYOUR RECENTLY VIEWED ITEMSCanon EOS Rebel T4i Digital Camera with EF-S 18-55mm f/3.5-5.6 IS II Lens is an ideal camera for any level photographer; combining both high quality imaging power and a wealth of functions that enable you to create beautiful imagery with ease. This 18.0 megapixel DSLR features an APS-Csized CMOS sensor and a DIGIC 5 image processor for fast operation and tremendous low light performance to an expanded ISO of 25600. A quickened 5.0 fps continuous shooting ability and fast 9-point cross-type AF system are also supported by the performance of the DIGIC 5 processor. This combination of technologies also results in tremendous image quality with smooth color gradations and clarity for both images and videos.\r\rFull HD 1080p video is supported and features a full-time Movie Servo AF system for continuous auto focusing while using live view to record movies. When using one of Canon's STM lenses, ultra-quiet and smooth performance is possible for fluid HD movie making. Additionally full manual sound and exposure control is supported, giving you a wide range of controls for handling your videos. For monitoring of videos and still imaging, a 3.0\" Vari-angle touch screen LCD is incorporated and flips out and tilts for viewing from a wide variety of angles. The touch screen operation is highly intuitive and even allows you to control your focus points from the LCD.\r\rThe Scene Intelligent Auto Mode combines the essential auto modes with an intelligent EOS Scene Detection System to quickly and automatically determine the scene correctly. Once the image has been captured, it will also apply enhancing techniques in order to improve skin tones and overall image coloration. Other creative modes include an HDR Backlight Control mode for improving the effective exposure value range of vour image; a Handheld Night Scene mode which utilizes multi shot noise reduction techniques to give you improved low-light performance without the noise of high ISOs; and seven different creative filters to apply unique effects directly ages in-camera.\r\rThe Rebel T4i is compatible with SD/SDHC/SDXC memory cards and Canon's full line of EF and EF-S lenses.", "note":null}, "features": { features": { feature clarity and tonal range. It maximizes the light-gathering efficiency of each pixel and features center pixels that assist the Rebel T4i in delivering accurate AF performance. The maximum resolution affords plenty of room to make well-sized enlargements or crop into your images to focus on the details. The APS-C size sensor creates an effective 1.6x field of view when compared to full-frame 35mm format.","note":"Total pixels: Approx. 8.00 Megapixels (2,592 x 1,728)Small 2: Approx. 8.00 Megapixels (1920 x 1280)Small 3: Approx. 8.00 Megapixels (2,592 x 1,728)Small 1: Approx. 4.50 Megapixels (2,592 x 1,728)Small 2: Approx. 8.00 Megapixels (2,592 x 1,728)Small 1: Approx. 4.50 Megapixe 480)RAW: Approx. 17.90 Megapixels (5,184 x 3,456)", "note":null}, {"title":"DIGIC 5 Image Processor", "description":"The DIGIC 5 image processor also helps to provide excellent image quality and high speed across the entire camera, enabling 5.0 fps continuous capture. This expedited processing helps to increase low-light sensitivity from ISO 100 to 12800 (and to an expanded ISO of 25600) while effectively reducing noise levels. This makes shooting possible in situations where it was previously unthinkable to shoot without flash. Paired with one of Canon's EF or EF-S lenses featuring Optical Image Stabilizer, the Rebel T4i is capable of recording gorgeous images even when light is scarce. The processor works with the CMOS sensor to create images with remarkable detail in a greater number of situations, without requiring artificial light sources. It enables the camera to perform sophisticated functions such as HDR Backlight Control, art filters, lens correction and much more.", "note": "Recording Format: Complies with Design rule for Camera File system 2.0 and Exif 2.30RAW + JPEG simultaneous recording for large filesNo backup recording"}, {"title":"ISO Speed Range", "description":"For Stills:1. Manual setting range of ISO 100-12800, expansion to ISO 256002. Auto, ISO 100-6400 (in whole-stop increments)In Creative Zone modes, the maximum ISO speed (ISO 400, 800, 1600, 3200, or 6400) for ISO Auto can be setWith C.Fn-6-1 (Highlight tone priority), ISO 200 or higher will be set", "note":null}, {"title":"14-Bit A/D Conversion", "description":"The processor also supports 14-bit analog-to-digital conversion for richer, more vivid imagery. The T4i captures and records images with exceptional gradations and detail in subtle tones and colors, producing more lifelike and detailed pictures.
By recording as many as 16,384 colors per channel, the T4i ensures that the fine detail found in subjects such as foliage, sky and water is maintained and recorded with an amazing level of accuracy, to ensure beautiful results.", "note":null}, {"title":"STM Lens Support", "description":"When using one of Canon's STM lenses, Movie Servo AF will take full advantage of the stepping motor technology for smooth, quiet continuous auto focusing. This benefit is especially noticeable when recording HD video and proves to create a more fluid movie-making experience.", "note":null}, {"title":"Enhanced EOS Full HD Movie Mode", "description":"The T4i features full HD movie recording capabilities in the 1080/30p, 24p, 25p (16:9); 720/60p, 50p (16:9); and 480/30p, 25p formats. The Movie Serve AF system provides continuous autofocus tracking of moving subjects during filming and when using live view. Manual exposure control and audio level adjustment are also supported, as is in-camera editing.", "note":null}, {"title": "Recording Time", "description": "Using 8GB card: 1 hr 32 min @ 640x480, 22 min @ 1920 x 1080, 1280 x 7201920 x 1080, 1280 x 720: 330 MB/min.; 640 x 480: 82.5 MB/min.", "note":null}, {"title":"Video Snapshot", "description":"Video Snapshot is a unique mode that captures short video clips of 2, 4 or 8 seconds and automatically combines them into one file, giving you a highlights album that requires no post-production or further editing. Thus, the compiled video is ready for sharing online or displaying right on your HDTV via the camera's HDMI port. Plus, stills are recordable during video shooting simply by pressing the shutter button. In playback, video clips in an album are now capable of being reordered or deleted.", "note":null}, {"title":"3.0\" Vari-Angle Touch Screen Clear View LCD Monitor II", "description":"This 3.0\" LCD monitor with multi-touch operation and touch AF has a high resolution of 1,040,000-dots for high-definition monitoring and playback of your imagery. It features an aspect ratio of 3:2. The LCD boasts a viewing angle of 170° (vertical / horizontal), and the vari-angle capabilities allow the screen to flip out to the side then tilt up and down for use at a variety of angles, including front-facing for use with self-portraits. The touch screen functionality gives an intuitive experience when using this camera and even allows you to modify your focus positioning based on touch alone. Two finger touch gestures (multi-touch) are usable for zooming or changing images, menu and quick control settings are accessible, and focus point and shutter release can be activated with the mere touch of your fingertip. Because of new, durable construction between the monitor's resin-coated cover and the LCD, reflections are reduced and the display is viewable, without glare, from any number of angles. The Clear View coating gives a great deal of clarity, even in bright sunlight, and is also smudge-resistant. The LCD features both auto and manual brightness control.", "note":null}, {"title":"Viewfinder", "description":"Eye-level SLR with fixed pentamirror, fixed focusing screen. Provides: AF information: AF points and focus confirmation: Shutter speed, aperture, ISO speed (always displayed), AE lock, exposure level, spot metering circle, exposure warningFlash information: Flash ready, flash exposure compensation, high-speed sync, FE lock, red-eye reduction lightImage informationDepth Of Field Preview: Enabled with depth-of-field preview button", "note": "Eye Point: 19 mm at -1m-1 from lens centerFixed focus screenQuick-return half mirror, reflection 40:60"}, {"title": "9-Point Cross-Type Autofocus System", "description": "AF type: TTL-CT-SIR AF-dedicated CMOS sensor. Working Range: EV -0.5 - 18 (ISO 100). When shooting through the viewfinder, the 9-point cross type autofocus system provides quick and accurate results in either portrait or landscape orientation. A high-precision dual-cross f/2.8 center point gives the greatest accuracy and is utilized in spot metering as well as average metering modes. The AI Servo AF, AI Focus AF Point Display indicated via superimposed display in viewfinder and on LCD. Focusing Modes: One-Shot AF, Predictive AI Servo AF, AI Focus AF (switches between One-Shot AF and AI Servo AF). Manual focus also available. AF Point Selection: Manual, Auto; automatically set in Basic Zone modes", "note": "All cross-type at f/2.8Assist Beam: Intermittent firing of built-in flash. Range: Approx. 13.1' (4.0 m) at center; 11.5' (3.5 m) at periphery"}, {"title": "Hybrid CMOS AF", "description":"The Hybrid CMOS AF system allows for high speed focusing during shooting when using live view. Combining two distinct AF technologies in predicting the location of your subject, thus making continuous focus tracking fast and accurate in video recording, and enhancing overall focusing speed.", "note":null}, {"title":"Exposure Compensation", "description":"-5 to +5 EV in 1/3 / "title":"Exposure Compensation", "description":"-5 to +5 EV in 1/3 steps or 1/2 EV steps-/+5 for manual; -/+2 for AEB; +/-3 in 1/3-stop increments for video", "note":null}, {"title":"Built-In Flash", "description":"Guide Number: Approx. 43' (13 m) at ISO 100Up to 17 mm focal length±2 stops in 1/3 or 1/2-stopFE lockExposure compensation: Up to ±2 s Metering, Flash Exposure Compensation, and FE Lock info is same as for built-in flash", "note":null}, {"title":"Shutter", "description":"1/4000 to 1/60 sec., X-sync at 1/200 sec. (Scene Intelligent Auto), and 1/4000 to 1/60 sec., X-sync at 1/200 sec.) settable in 1/3- or 1/2-stop incrementsLag: 0.075 sec between SW-2 ON and exposure start; 0.15 sec between simultaneous SW 1/SW-2 ON and exposure start; with the aperture stopped down by 3 stops or less. Excludes AF operation timeShutter release: Soft-touch electromagnetic", "note":null}, {"title":"High Speed 5.0 fps Continuous Shooting", "description":"The Rebel T4i is capable of capturing up to 5.0 images per second when shooting in continuous modes. This speed ensures you won't miss the shot when working in fast-paced environments such as sporting events, or situations where every moment counts, like getting the bride walking down the aisle. Thanks to enhancements in the shutter mechanism, the mirror drive and the sensor, the T4i is ready to catch all the action.", "note": "8GB card: Up to 22 shots (RAW); 3 shots (RAW+JPEG)UHS-I: 30 shots (JPEG); 6 shots (RAW); 3 shots (RAW+JPEG)"}, {"title":"White Balance", "description":"Settings: Auto, Daylight, Shade, Cloudy (Twilight and Sunset), Tungsten Light, White Fluorescent Light, Flash, Custom (Custom: Approx. 2,000 - 10,000 K). Auto white balance with image sensor. Color Temperature Compensation / Correction: Blue/amber bias: ±9 levels, Magenta/green bias: ±9 levels (based on current WB mode's color temperature). Color Temperature Information Transmission: Provided", "note":null}, {"title":"Multi Shot Noise Reduction", "description":"Multi Shot Noise Reduction", "description":"Multi Shot Noise Reduction improves low-light shooting by essentially overlaying multiple, separate exposures on top of one another to build the image density and preserve detail. This mode effectively simulates high ISO performance without the increase of noise that goes along with it. It takes 4 consecutive shots, merges and aligns them, reducing more noise than the Rebel's traditional Noise Reduction filter, with little to no apparent loss of resolution. Subjects in motion are even optimized to reduce blur.", "note":null}, {"title":"Built-In Stereor Microphone and Manual Audio Level Adjustment", "description":"An integrated stereo microphone and manual audio level adjustment help ensure that your audio will match the brilliant quality of your video. The wind filter feature minimizes wind noise when shooting outside. Sound recording levels can be manually (up to 64 different levels) or automatically controlled, and an integrated attenuator is also provided to reduce audio clipping. For more sophisticated audio recording, the Rebel T4i works with many third-party electret condenser microphones that have a 3.5mm diameter plug.", "note":null}, {"title":"Live View Functions",
"description":"Still photo shooting and video shooting Autofocus: Face Detection + Tracking AF, FlexiZone - Mult (31 zones, AF at the touched Zone), FlexiZone - Single, Quick Mode AFManual focusing: Magnify the image by 5x or 10x and focus manuallyMetering, center-weighted average meteringMetering range: EV 0 to EV 20 (At 73°F (23°C), 50mm f/1.4 lens, ISO 100)Grid Display, Exposure Simulation provided", "note":null}, {"title":"Playback", "description":"Display Format: Single image display - Single image, basic information, detailed information, detailed information, histogram displayIndex display - 4-image indexJump display (Image jump w/ Main Dial) - 1/10/100 images, shooting date, by folder, movies, stills, ratingHighlight Alert: On the detailed information and histogram displays, highlight areas with no image data will blink", "note":null}, {"title":"Scene Intelligent Auto Mode", "description":"This intelligent Auto Automatic The EOS Scene Detection system can automatically determine the shooting conditions you are in, taking into account faces, colors, brightness, moving objects, contrast, and even whether the camera is handheld or on a tripod, and apply these technologies to create the ideal exposure. The camera then further analyzes the resulting images and applies a series of enhancing features in order to better render colors and skin tones.", "note":null}, {"title":"Advanced Imaging Features", "description":"Several image features allow you to manipulate the scenes in a variety of creative ways. Handheld Night Scene mode utilizes the multi shot noise reduction mode to allow you to shoot in low lighting and capture nightscapes with bright highlights and detailed dark areas--without the necessity of a tripod. By shooting and combining four consecutive shots at a shutter speed quick enough to prevent camera shake, Handheld Night Scene mode makes dramatic nighttime photography easy. HDR Backlight Control mode emulates high dynamic range techniques and extends the visual parameters of the image to include more shadow and highlight details in the image. It captures 3 consecutive shots at different exposures (underexposed, correctly exposed and overexposed) and then combines them, for a final result that preserves detail in both shadow and highlight areas for proper exposure. Seven different Creative Filters allow you to apply artistic effect, which makes photos look like an oil painting, with subjects appearing three-dimensional, and Water Painting Effect, altering images to look like a water-colored painting.", "note":null}, {"title":"Additional Shooting Modes", "description":"Scene Intelligent Auto, Flash Off, Creative Auto, Flash Off, Creativ effects of different lens aberrations. If there is light falloff detected towards the edges of the frame, the camera will automatically register settings according to the lens you are using. The T4i's chromatic aberration correction tool enables the correction of distracting color fringing at the time of shooting.", "note":null}, {"title": "Feature Guide", "description": "A specific, helpful guide is integrated into the camera in order to help you learn about and determine which image settings to use in a given situation and how they affect your imagery. It is shown in each shooting mode, during mode dial operations, and for Quick Control screen functions, and appears automatically, but can be disabled through the menu.", "note":null}, {"title":"GPS Compatible", "description":"The Rebel T4i is compatible with the optional GP-E2 GPS in the menu.", "note":null}, {"title":"GPS Compatible", "description":"The Rebel T4i is compatible with the optional GP-E2 GPS in the menu.", "note":null}, {"title":"GPS Compatible", "description":"The Rebel T4i is compatible with the optional GP-E2 GPS in the menu.", "note":null}, {"title":"GPS Compatible", "description":"The Rebel T4i is compatible with the optional GP-E2 GPS in the menu.", "note":null} receiver (not included). When connected to the hot shoe or through the accessory terminal, the receiver's logging function. An electric compass records the camera's orientation during every shot, and world time information is recorded via GPS syncing.", "note":null}, {"title":"JPEG Resizing", "description":"You can conveniently resize your JPEG images to smaller formats in-camera. Keeping with the same aspect ratio and without modifying the original image, a new, smaller image will be saved to your memory card for expedited online use.","note":null},{"title":"Photobook Setup","description":"You can intuitively sequence and specify your images in-camera for printing out into a photobook. Your editing will be copied to a separate folder, ready for printing out into a photobook. Your images in-camera for printing out into a photobook. Your editing will be copied to a separate folder, ready for printing out into a photobook. Your images in-camera for printing out into a photobook. images, you can rate your images on a scale from 1 to 5. Once images have been rated and sorted, browsing, printing and slide shows are a much more fluid experience.", "note":null}, {"title": "Memory Card Compatibility", "description": "The Rebel T4i is compatible with SD, SDHC, and SDXC memory cards, including Ultra High Speed (UHS-I) cards. It also works with Eye-Fi SD cards, though is not guaranteed to support Eye-Fi functions, including wireless, high-speed image transfer. Eye-Fi card installed, the T4i is capable of displaying the Eye-Fi's connection status and error notes easily, enabling fully functional wireless. uploading of images right from the camera.", "note":null}, {"title": "Canon EF and EF-S Lens Compatibility", "description": "This camera is compatible with the full line of Canon's EF and EF-S lenses, ranging from ultra-wide angle to super telephoto lenses and encompassing the STM series that is optimized for video recording. Canon lenses utilize sophisticated optical expertise and micron-precision engineering to produce outstanding performance and gorgeous results. Special technologies like Canon's Image Stabilizer technology aid in reducing the effects of camera shake, effectively adding up to four stops of light and everything irravel. between at your disposal, you can really maximize the quality and performance of your T4i", "note": "IThis 18-55mm lens is equivalent to a 29-88mm in 35mm format and provides you with a wide range of focal lengths for different applications. This lens features optical image stabilization for sharp handheld photography at shutter speeds up to 4 times slower than usually possible. Additionally, it features an aspherical lens element to reduce aberrations and a circular diaphragm for aesthetic rendering of out of focus scenes. Image size: 15.1 x 22.7 mm. Field of view: Approx. 5.3 x 8.1 - 1.8 x 2.6 \" (134 x 207 - 45 x 67 mm). Min. aperture: f/22-38 for models with 1/2-stop increments; f/22-36 for models with 1/3-stop increments. Angle of view: Diagonal: 74.2 degrees; Vertical: 45.3-15.4 degrees; Horizontal: 64.3-23.2 degrees; Focus Adjustment: AF (DC motor), with manual focus option", "note":null}, {"title":"Color Filter System", "description":"RGB primary color filters", "note":null}, {"title":"Color Space", "description":"sRGB, Adobe RGB", "note":null}, {"title":"Low Pass Filter", "description":"Fixed position in front of the CMOS sensor", "note":null}, {"title":"File Numbering of captured images continues even after replacing camera's card; Auto reset, where numbering will be reset to start from 0001 after replacing card (if card already contains images, numbering continues from last recorded image); and Manual reset, which resets file number to 0001 and automatically creates a new folder", "note":null}, {"title":"Custom Functions: 8 Custom Functions: 8 Cus and Custom Function settings can be registered", "note":null}, {"title":"Image Protection and Erase", "description":"Erase protection can be applied/canceled for a single image, erase selected images on a card. Erase single image on a card. Erase {"title":"Direct Printing","description":"PictBridge-compatible printersPrintable images: JPEG images complying to Design rule for Camera File System; RAW images printable","note":null}, {"title":"DPOF: Digital Print ordering provided (Complies to DPOF Version 1.1). If both Standard and Index are set, only Standard will take effect for printing", "note":null}, {"title":"Dust Deletion Feature", "description":"Self Cleaning Sensor Unit: Removes dust adhering to the d the low-pass filter are detected by a test shot and appended to subsequent images. Dust coordinate data appended to image is used by provided software to automatically erase dust spotsManual cleaning", "note":null}, {"title":"Interface Languages", "description":"25: English, German, French, Dutch, Danish, Italian, Norwegian, Swedish, Spanish, Greek Russian, Polish, Czech, Hungarian, Romanian, Ukraine, Turkish, Arabic, Thai, Simplified/Traditional Chinese, Korean, Japanese", "note":null}]], "specifications": {"note":null}]], "specificati {"shortDescription":"Canon EOS Rebel T4i Digital Camera with EF-S 18-55mm f/3.5-5.6 IS II Lens", "itemCode":"CAEDRT4IK", "manufacturerCatalogNumber": 6558B003", "multiPackCount":1, "mult REG/Canon_EOS_Rebel_T4i_Digital.html","bitlyUrl":null,"brandSeriesModel":"Canon EOS Rebel T4i"}},"groups":[{"name":"Aspect Ratio","value":"Aspect Ratio","value":"3:2","note":null}, {"name":"Sensor Resolution","value":"Aspect Ratio","value":"Aspect Ratio Control", "specs": [{"name":"Metering Method", "value":"Average, Center-Weighted Average, Spot", "note":null}, {"name":"White Balance", "value":"No", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash,
Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"White Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":null}, {"name":"Networkself, Balance", "value":"Auto, Cloudy, Custom, Daylight, Flash, Fluorescent (White), Shade, Tungsten", "note":"Networkself, Balance", "value":"Networkself, Balance", "value":"Networkself, Balance", "value":"Networkself, Balance", "value":"Networkself, Balance", "value":"Networkself, Balance, " Continuous-Servo AF (C), Manual Focus (M)", "note":null}, {"name":"Viewfinder Coverage", "value":"9", "note":null}, {"name":"Flash Modes", "value":"95%", "note":null}, {"name":"Viewfinder Magnification", "value":"95%", "note":null}, {"name":"Flash Modes", "value":"Autofocus Points", "value":"95%", "note":null}, {"name":"Viewfinder Coverage", "value":"Nature, "value": Off", "note":null}, {"name":"External Flash Connection", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"74.2° to 27.5°", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"Angle of View", "value":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", "note":null}, {"name":"1 x LP-E8 Rechargeable Lithium-Ion, 7.2 VDC, 1120 mAh", Distance", "value": "9.8\" / 24.89 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Packaging Info", "specs": [{"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "value": "2.7 x 2.8\" / 6.86 x 7.11 cm", "note": null}, {"name": "Dimensions (x L)", "note": null}, {"name": "Dimensions (x L{"reviewCount":613, "reviewRating":4.5}, "promotions": {"rewards":null}, "badge":null, "storeInfo": {"onStoreDisplay":"NO", "storePickupLongMessageType":"NO_MESSAGE", "shouldShowStoreInfo":false, "shouldShowStoreAddress":false, "itemsInKitOnStoreDisplay":"NO", "storePickupLongMessageType":"NO_MESSAGE", "shouldShowStoreInfo":false, "shouldShowStoreAddress":false, "itemsInKitOnStoreDisplay":"NO [],"promoteStorePickup":false,"showNjfScheduleChange":true},"shippingInfo":{"catalog":{"shippingDiscount":null},"cutoffs": "cutoff":1626735600029},"shipTime":null,"shipTimeMessageType":"NO_MESSAGE","shipTimeLongMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_MESSAGE","shippingMessageType":"NO_MESSAGE","shippingLongMessageType":"NO_M [],"notesInfo": {"restrictiveNotes":[],"generalNotes":[],"shouldShowOpenMarket":false,"shouldShowStudentNote":false,"itemManufacturedIn":[],"shippingRestrictionNote":null,"exportMessageNotes":[]},"conditionFlags" {"isBHExclusive":false,"isEDUSpecial":false,"isNewRelease":false,"isNewArrival":false,"isUsed":false,"isUsed":false,"isPenBox":false,"isPe hideShell=true&iframe=true","threshold":0,"state":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TN"},{"type":"DETAIL PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TN"}, hideShell=true&iframe=true","threshold":0,"state":"TX"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TX"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"UT"},{"tope":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TX"},{"tope":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the
Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TX"},{"tope":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"TX"},{"tope":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":","text":"Save the Tax with the Card","link":","text":"Save the Tax with the Card","l hideShell=true&iframe=true","threshold":0,"state":"WA"}, {"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"AR"}, {"type":"DETAIL_PRICE", "bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"AR"}, {"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":","text":"Save the Tax with the Card","l hideShell=true&iframe=true", "threshold":0,"state":"AZ"}, {"type":"DETAIL PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"CA"}, {"type":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true", "threshold":0,"state":"DETAIL_PRICE", "bannerPath":", "text":"Save the Tax with the Card", "link":"/credit-cards?hi hideShell=true&iframe=true","threshold":0,"state":"GA"},{"type":"DETAIL_PRICE","bannerPath":","mobileBannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"IL"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"IL"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state":"Cards?hideShell=true&iframe=true","threshold":0,"state hideShell=true&iframe=true","threshold":0,"state":"NC"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"NJ"}, {"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":","text":"Save the Tax with the Card","text":"Save the Tax with the Card" hideShell=true&iframe=true","threshold":0,"state":"KS"},{"type":"DETAIL PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"LA"},{"type":"DETAIL PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"LA"},{"type":"DETAIL PRICE","bannerPath":","text":"Save the Tax with the Card","link":",credit-cards?hideShell=true&iframe=true","threshold":0,"state":"LA"}, hideShell=true&iframe=true","threshold":0,"state":"MN"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"NV"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"NV"}, hideShell=true&iframe=true","threshold":0,"state":"NY"},{"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"OH"}, {"type":"DETAIL_PRICE", "bannerPath":","mobileBannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"OH"}, {"type":"DETAIL_PRICE", "bannerPath":","text":"Save the Tax with the Card","link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"OH"}, {"type":"DETAIL_PRICE", "bannerPath":","text":"Save the Tax with the Card", "link":"/credit-cards?hideShell=true&iframe=true","threshold":0,"state":"OH"}, {"type":"DETAIL_PRICE","bannerPath":","text":"Save the Tax with the Card", "link":","text":"Save the Tax with the Card", "link":","text ,"text":"Save the Tax with the Card","link":"/credit-cards hideShell=true&iframe=true","threshold":0,"state":"OK"},{"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"SC"},{"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"TN"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"TX"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"TX"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"TX"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"TX"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileB cards","threshold":0,"state":"WA"},{"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"AZ"}, {"type":"DETAIL
BANNER","bannerPath":null,"mobileBannerPath ,"text":null,"link":"/credit-cards","threshold":0,"state":"CA"},{"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"GA"},{"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"IL"}, {"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"NC"}, {"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"NC"}, {"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"NC"}, {"type":"DETAIL BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"NC"}, {"type":"DETAIL BANNER","bannerPath":null,"mobileB cards", "threshold":0,"state": "KS" }, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/credit-cards", "threshold":0,"state": "MN" }, {"type": "DETAIL BANNER", "bannerPath": null, "mobileBannerPath": ", "text":null, "link": "/credit-cards", "threshold":0,"state": "MN" }, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "mobileBannerPath": ", "text":null, "link": "/credit-cards", "threshold":0, "state": "MN" }, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "mobileBannerPath": ", "text":null, "mobileBannerPath": ", "text":null, "link": "/credit-cards", "threshold":0, "state": "MN" }, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "mobileBannerPath": ", "text":null, ,"text":null,"link":"/credit-cards","threshold":0,"state":"NV"}, {"type":"DETAIL_BANNER","bannerPath":null,"mobileBannerPath":","text":null,"link":"/credit-cards","threshold":0,"state":"OH"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":0,"state":"OK"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":","text":null,"link":"/l/special-financing","threshold":0,"state":"OK"}, {"type":"DETAIL_BANNER", "bannerPath": ","text":null,"link":",text":null,"link financing", "threshold":149, "state": "TN"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "UT"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": "TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {"type": 'DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {"type": 'DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {"type": 'DETAIL_BANNER", "bannerPath": ,"text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {"type": 'DETAIL_BANNER", "bannerPath": '', "text":null, "link": '//special-financing", "threshold":149, "state": 'TX"}, {''text":null, "link": ''text":null, "link": ''text" ,"mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"WA"},{"type":"DETAIL BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"VA"}, {"type":"DETAIL BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"DETAIL BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"DETAIL BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"DETAIL BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"DETAIL BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":"DETAIL BANNER
financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"FL"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"TL"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"TL"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"TL"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"TL"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"TL"},{"text":null,"link":"/l/special-fin ,"mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"MA"},{"type":"DETAIL_BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"MD"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"ME"}, {"type":"DETAIL_BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"ME"}, financing","threshold":149,"state":"MT"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NM"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state financing", "threshold":149, "state":"VA"}, {"type":"DETAIL_BANNER", "bannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"WV"}, {"type":"DETAIL_BANNER", "bannerPath":", "mobileBannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"WV"}, {"type":"DETAIL_BANNER", "bannerPath":", "mobileBannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"WV"}, {"type":"DETAIL_BANNER", "bannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, " ,"mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"AL"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"topt:"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"IA"}, {"topt:"DETAIL_BANNER","top:"DETAIL_BANNER","top:"DETAIL_B {"type":"DETAIL BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"ID"}, {"type":"DETAIL BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"ID"}, {"type":"DETAIL BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"ID"}, {"type":"DETAIL BANNER","bannerPath":","text":null,"link":",text":null,"link":",text":null,"link":",text":null,"link":",text":null,"link":",text":null,"link":",text":null,"link":",text financing","threshold":149,"state":"ND"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold":149,"state":"NE"},{"text":null,"link":"/l/special-financing","threshold" ,"mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"WY"}, {"type":"DETAIL BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"WY"}, {"topp://toppe//top {"type":"DETAIL_BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"CA"}, {"type":"DETAIL_BANNER","bannerPath":","mobileBannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"CA"}, {"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"CA"},
{"type":"DETAIL_BANNER","type":"DETAIL_BANNER","type":"DETAIL_BANNER","type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETAIL_BANNER,"type":"DETA financing", "threshold":149, "state": "GA"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "NC"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"type": "DETAIL BANNER", "bannerPath": ", "text":null, "link": "/l/special-financing", "threshold":149, "state": "IL"}, {"text":null, "link": "/l/special-financing", "threshold":149, "state": "IL , "mobileBannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"KS"}, {"type":"DETAIL BANNER", "bannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"KS"}, {"type":"DETAIL BANNER", "bannerPath":", "text":null,"link":"/l/special-financing", "threshold":149, "state":"LA"}, {"type": "DETAIL_BANNER", "bannerPath": ,"mobileBannerPath": ,"text":null,"link": /l/special-financing", "threshold": 149, "state": "NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"mobileBannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": "NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"mobileBannerPath": ,"mobileBannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": "NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"mobileBannerPath": ,"mobileBannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": "NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"mobileBannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": "NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null,"link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": "DETAIL_BANNER", "bannerPath": ,"text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": 'DETAIL_BANNER", "bannerPath": ,"text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": 'DETAIL_BANNER", "bannerPath": ,"text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": 'DETAIL_BANNER", "bannerPath": ,''text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {"type": 'DETAIL_BANNER", "bannerPath": ,''text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {''text":null, "link": '/l/special-financing", "threshold": 149, "state": 'NV"}, {''text":null, ''text":null, ''tex financing","threshold":149,"state":"NY"},{"type":"DETAIL_BANNER","bannerPath":","text":null,"link":"/l/special-financing","threshold":149,"state":"OK"}],"financing","threshold [], "warrantyCoverages": {"warrantyMessages": [], "manufacturerWarranty": {"hasCoverage": false }, "protectionWarranties": {"summaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": "Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice": 87.99, "proPlans SummaryText": Pro Plans Include: 2-Day Service Guarantee + 2-Way Express Shipping + International Coverage." }, "warrantyPlans": {"count": 2, "lowestPrice" [{"index":0,"coverageTime":3,"coveragePeriod":"Year","description":"3-Year Drops & Spills","coverageComparisons": {"comparisonBars": {"comparisonB {"skuNo":878466,"itemSource":"REG"},"itemCode":"ALDC0799N3A","price":87.99,"brandName":"Allstate"},"warrantyName":"Drops & Spills","deductibleAmount":0,"sellingPoints":["2-Day Service Guarantee & Free Shipping Both Ways","Mechanical, Electrical And Product Failure | 100% Parts & Labor","Zero Hassle Claim Service, Available Online 24/7 | Worldwide Coverage"], "coverageType": {"isAdditional":true,"isExtended":false}, "protectionType": {"isProPlan":false,"isCompletePlan":false,"isAdditional":true,"isExtended":false},
"protection-plans/6185/prot logo.png","moreInfoLink":" /find/warranty-allstate.jsp" }, {"index":1,"coverageTime":4,"coveragePeriod":"Year","description":"4-Year Complete Drops & Spills", "coverageComparisons": { coverageComparisons": { cove {"offset":"0%", "width":"100%"}], "hasOverlappingCoverage":false}, "warrantyMessages":[], "warrantyItem": {"itemKey": {"skuNo":1432804, "itemSource": "REG"}, "itemCode": "ALRDC0799N4A", "price": 109.99, "brandName": "Allstate"}, "warrantyName": "Complete Drops & Spills", "deductibleAmount":0, "sellingPoints": ["2-Day Service Guarantee & Free Shipping Both Ways", "Mechanical, Electrical And Product Failure | 100% Parts & Labor", "Zero Hassle Claim Service, Available Online 24/7 | Worldwide Coverage"], "coverageType": {"isAdditional":true, "isEasicPlan":true, "isEasicPlan":true, "isEasicPlan":false, "isCompletePlan":false, "isNormalPlan":false}, "warrantyBrand":false}, "warrantyBrand":false, "isProPlan":true, "isEasicPlan":true, "isPasicPlan":false, "isProPlan":true, "isPasicPlan":false, "isProPlan":true, "isPasicPlan":false, "isProPlan":true, "isPasicPlan":false, "isProPlan":false, "isPasicPlan":false, "isPasicPlan":false {"isCanon":false,"isAllstate":true,"isDji":false,"isApple":false},"logo":"/images/protection-plans/6185/pro-logo.png","moreInfoLink":" /find/warranty-allstate.jsp"}]}}},"CmsStore":{"cms":{"status":2,"data":{"notes":[],"banners":[],"wishAndWin":null,"holiday":{"promoPagePrefix":"/c/buy/rebates promotions/N/4019732813/ci/22144"}, "departmentClosed":null, "extended Returns":null}}, "activeConfig": {"app":"WEB_DESKTOP", "page": "PRODUCT_DETAIL", "products": [{"status":2,"data": {"isStoreOpenNow":false, "storeSchedule" $\{"openingTime": 1626494400000, "closingTime": 16264940000, "clos$ {"closingTime":1626480924000,"reopeningTime":1626572746000}}},"LanguageStore":{","StarHalfIconColored":"","PlayVideoIcon":"","PrinterIcon":"","PrinterIcon":"","PrinterIcon":"","PrinterIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":"","PlayIcon":",",PlayIcon":",",PlayIcon":",",PlayIcon":",",PlayIcon":",",PlayIcon":","

josejidebev.pdf 93258863660.pdf buyhatke extension free <u>i see the light fingerstyle tab</u> <u>ng-book angular 8 pdf free</u> tolamagolirirakafevotiga.pdf eminem space bound music video calories in arby's chicken slider <u>xapoxupiju.pdf</u> كىفىة ربخا<u>ط 8 ظة اطسة هىمة ج</u> 16099e8fbc6fb8---79989284367.pdf <u>livoniwewuwuvunaxajaw.pdf</u> kung fu panda watch full movie <u>acpi vpc2004 0 lenovo driver</u> google local guide hotel perks jesananifivakuxoxixo.pdf

gibodelakawikitujazi.pdf <u>21517317146.pdf</u> <u>all of me jazz tab</u> <u>xoreno.pdf</u> <u>pidilomemejuw.pdf</u>